

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	IS&R	L2	3	((("3937600") or ("4613285") or ("4781546"))).PN.	USPAT	2004/07/16 11:56
2	BRS	L3	7	("3947155" "2988264" "3790833" "6084320" "5351490" "6530756" "6056519").PN.	USPAT	2004/07/16 11:56
3	IS&R	L1	3	((("3937600") or ("4613285") or ("4781546"))).PN.	USPAT	2004/07/16 15:08
4	BRS	L4	1	1 and (top near dead near center)	USPAT	2004/07/16 12:01
5	BRS	L5	9	("0674979" "3183840" "3249053" "3437044" "3531065" "3937600" "4033233" "4067667"	USPAT	2004/07/16 11:58
6	BRS	L6	1	1 and (displac\$6 with (sensor\$1 or detect\$3))	USPAT	2004/07/16 12:01
7	BRS	L7	0	5 and (top near dead near center)	USPAT	2004/07/16 12:12
8	BRS	L8	1	5 and (displac\$6 with (sensor\$1 or detect\$3))	USPAT	2004/07/16 12:01
9	BRS	L9	103	(compressor) and (displac\$6 with (sensor\$1 or detect\$3)) and (top near dead near center)	USPAT	2004/07/16 12:08
10	BRS	L10	103	(compressor) and (displac\$6 with (sensor\$1 or detect\$3)) and (top near dead near center)	USPAT	2004/07/16 12:12
11	BRS	L11	0	10 and (position43 with (sensor\$1 or detect\$3))	USPAT	2004/07/16 12:13
12	BRS	L12	55	10 and (piston with control\$5)	USPAT	2004/07/16 12:09
13	BRS	L13	87	(compressor) and (displac\$6 with (sensor\$1 or detect\$3)) and ((top near dead near center) with piston)	USPAT	2004/07/16 12:11
14	BRS	L14	152	(compressor) and (displac\$6 with (sensor\$1 or detect\$3)) and ((top near dead near center) with piston)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/07/16 12:12
15	BRS	L15	172	(compressor) and (displac\$6 with (sensor\$1 or detect\$3)) and (top near dead near center)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/07/16 15:09

	Type	L #	Hits	Search Text	DBs	Time Stamp
16	BRS	L16	87	13 and 14 and 15	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/07/16 12:12
17	BRS	L17	87	16 and (top near dead near center)	USPAT	2004/07/16 12:12
18	BRS	L18	0	16 and (position43 with (sensor\$1 or detect\$3))	USPAT	2004/07/16 12:13
19	BRS	L19	54	16 and (position\$3 with (sensor\$1 or detect\$3))	USPAT	2004/07/16 12:13
20	BRS	L20	47	16 and ((voltage or current) with (sensor\$1 or detect\$3))	USPAT	2004/07/16 12:14
21	BRS	L21	47	20 and ((voltage or current) with (sensor\$1 or detect\$3))	USPAT	2004/07/16 15:10
22	BRS	L22	11	21 and (voltage with (adjust\$3 or cang\$3))	USPAT	2004/07/16 15:11
23	BRS	L23	4	22 and oscillation	USPAT	2004/07/16 12:17
24	BRS	L24	7	22 not 23	USPAT	2004/07/16 14:11
25	BRS	L25	2	24 and (linear with compressor)	USPAT	2004/07/16 14:11
26	IS&R	L26	485	(417/214,216,254).CCLS.	USPAT	2004/07/16 15:08
27	IS&R	L27	1629	(310/12,17,27).CCLS.	USPAT	2004/07/16 15:09
28	BRS	L28	2114	26 or 27	USPAT	2004/07/16 15:09
29	BRS	L29	3	28 and (compressor) and (displac\$6 with (sensor\$1 or detect\$3)) and (top near dead near center)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/07/16 15:09
30	BRS	L30	3	29 and ((voltage or current) with (sensor\$1 or detect\$3))	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/07/16 15:10

	Type	L #	Hits	Search Text	DBs	Time Stamp
31	BRS	L31	1	30 and (voltage with (adjust\$3 or chang\$3))	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/07/16 15:11

PALM INTRANETDay : Friday
Date: 7/16/2004
Time: 15:17:24

Inventor Information for 10/614986

Inventor Name	City	State/Country
MORITA, ICHIRO	FUJISAWA-SHI	JAPAN
KOBAYASHI, MASANORI	FUJISAWA-SHI	JAPAN
INAGAKI, KOH	FUJISAWA-SHI	JAPAN
KATAYAMA, MAKOTO	ZUSHI-SHI	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)[Inventors](#)Search Another: Application# or Patent# PCT / / or PG PUBS # Attorney Docket # Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)